

www.wentworthlabs.com





AUTOMATIC PROBER

FULLY AUTOMATIC PROBE STATION

Advanced automation for high volume probing applications requiring special handling, such as GaAs, saw frames, ceramics and silicon.

PEGASUS™ A200 FEATURES

- ✓ High throughput cassette to cassette automation.
- Automatic wafer handling, pattern recognition and wafer probing.
- ✓ Wafer pre-alignment and wafer detection.
- Many automation options.

- Customizable product enhancing hardware and software options.
- Performance thermal chuck solutions.
- Wide range of product enhancing accessories.
- → Robust mechanical design.

MEETING YOUR PROBING CHALLENGES



The Pegasus[™] A200 series offers dual-end, parallel processing of wafers which optimizes wafer handling for maximum throughput.

Designed for easy access when manually loading and unloading wafers the Pegasus™ A200 has a capacity of two cassettes, each containing 25 wafers.

Featuring a highly advanced, single-stage wafer detection pre-alignment and transportation system, the Pegasus™ A200 ensures long-term accuracy and repeatability.

The Pegasus[™] A200 Series probers deliver menu-driven, push button control via proprietary LabMaster™ control and monitoring software.

An extensive range of control and monitoring parameters enable users to operate Pegasus™ A200 Series probers at peak performance, including: realtime monitoring and test setup; yield analysis of both the wafer and batch under test; premium mapping capability; image analysis, and a host of other advanced features.

Configurable to voltages in excess of 5 kV for specialized applications

Optional thermal chuck capability.




Pegasus™ A200




PATTERN RECOGNITION SYSTEM; ROBOT HANDLING SYSTEM; CONFIGURABLE TO VOLTAGES IN EXCESS OF 5 KV FOR **SPECIALIZED APPLICATIONS; OPTIONAL** THERMAL CHUCK CAPABILITY.


- ✓ Menu-driven, push button control.
- ✓ Real-time monitoring and test setup.
- ✓ Yield analysis of both the wafer and batch under test.
- Premium mapping capability.
- ✓ Probe to pad alignment for saw frame die.



Pegasus™ A200 Control & Monitoring







SPECIAL HANDLING

Wentworth's Pegasus[™] A200 automatic prober for 2-inch to 8-inch wafers, is ideal for high volume, special handling applications such as GaAs, saw frames, ceramics and silicon.

PROBER	
XY STAGE	
Туре	High precision re-circulating ball screws
Stage Travel	210 mm x 210 mm (8.3" X 8.3")
Resolution	1.25 µm
Accuracy	± 7 μm over 200mm
Repeatability	± 4 µm
XY Speed	Up to 100 mm/s
Automatic Alignment Repeatability	± 5 μm

WAFER HANDLER	
ROBOT	
Speed	1270 mm/s (R), 254 mm/s (Z), 800 °/s (Ø)
Positional Repeatability	12.7 µm (Z), 38.1 µm (R) 0.01°(Ø) at constant temperature
Flat Orientation	Selectable
Pre-Alignment Accuracy	± 63.5 µm ± 0.125°
Repeatability	± 4 µm
XY Speed	Up to 100 mm/s

UNITED KINGDOM / EUROPE Wentworth Laboratories Ltd

1 Gosforth Close Sandy, Bedfordshire SG19 1RB England

Tel: +44 1767 68 1221 Fax: +44 1767 69 1951 Email: CustomerServicesUK@ wentworthlabs.com

UNITED STATES

Wentworth Laboratories Ltd

1087 Federal Road, Unit 4, Brookfield, Connecticut 06804

Tel: 203 775 0448 **Fax:** 203 740 7636

Email: CustomerServiceDeptCT@

wentworthlabs.com

BELGIUM / NETHERLANDS

CNI Poor

Z.1 Reasearchpark 40 1731 Zellik, Belgium

Tel: +32 (0) 2 467 03 50 **Email:** sbuelens@cnrood.com

FRANCE, ITALY, MOROCCO & MALTA

STi

4 Rue des Beaumonts 94120 Fontenay-sous-bois Paris

France

Tel: +33 (0)1 43 94 00 99 **Email:** info@stifrance.com

POLAND

Testpol Sp. z.o.o

ul.Klecinska 125, 54-413 Wrocław, Poland

Tel: +48 71 783 63 60

Email: testpol@testpol.com.pl

ISRAEL

DANEL Technologies Ltd

58, Amal Street

Kirat Ari Petach Tikva, Israel

Tel: +972 (0) 3 927 1888 1666 **Email:** sales@danel.co.il

Wentworth Laboratories

www.wentworthlabs.com

INDIA

Electronic Enterprises PVT Ltd

No 12 1st Floor 3rd Main Road Shivnagar, West of Chord Road Bangalore 560010, India

Tel: +91 080 338 0451 **Email:** eehyd@hotmail.com

CHINA

Quatek Inc.

Unit 2112, 21F Yong Sheng Towers, 2025 West Zhong Shan Road Shanghai, P.R.C (P.C. 200235)

Tel: +86-21-6481-3366

Email: sales@quatek.com.cn

TAIWAN

Quatek Co. Ltd

4/F, 308, Sec. 1 Nei Hu Road, Nei Hu, Taipei 11493, Taiwan, R.O.C.

Tel: 886 2 2797 3357 **Fax:** 886 2 2797 3957

Email: sales@quatek.com.tw

Leader In **P**robe**A**bility